


DIN 125 B – sim. ISO 7090

Podkładki okrągłe ze skosem typ B




d1	do gwintu	d2	h
3,2	M3	7,0	0,5
4,3	M4	9,0	0,8
5,3	M5	10,0	1,0
6,4	M6	12,0	1,6
8,4	M8	16,0	1,6
10,5	M10	20,0	2,0
13,0	M12	24,0	2,5
15,0	M14	28,0	2,5
17,0	M16	30,0	3,0
19,0	M18	34,0	3,0
21,0	M20	37,0	3,0
23,0	M22	39,0	3,0
25,0	M24	44,0	4,0
28,0	M27	50,0	4,0
31,0	M30	56,0	4,0
34,0	M33	60,0	5,0

Materiał	Opakowanie
A2 / A4	1000
A2 / A4	1000
A2 / A4	200
A2 / A4	200
A2 / A4	200
A2 / A4	200
A2 / A4	200
A2 / A4	100
A2 / A4	100
A2 / A4	100
A2 / A4	100
A2 / A4	100
A2 / A4	100
A2 / A4	50
A2 / A4	25
A2 / A4	25
A2 / A4	25

DIN 125 A – specjalny materiał – sim. ISO 7089

Podkładki okrągłe bez fazy typ A



d1	do gwintu	d2	h
5,3	M5	10,0	1,0
6,4	M6	12,0	1,6
8,4	M8	16,0	1,6
10,5	M10	20,0	2,0
13,0	M12	24,0	2,5
17,0	M16	30,0	3,0
21,0	M20	37,0	3,0
25,0	M24	44,0	4,0
28,0	M27	50,0	4,0
31,0	M30	56,0	4,0

Materiał	Opakowanie
A5 AI BA BB	200
A5 AI BA BB	100
A5 AI BA BB	100
A5 AI BA BB	50
A5 AI BA BB	50
A5 AI BA BB	25
A5 AI BA BB	25
A5 AI BA BB	25
A5 AI BA BB	25
A5 AI BA BB	25